

Attorney's Docket No. 9306-2

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Ying *et al.*

Serial No.: 09/776,484

Filed: February 2, 2001

For: **METHOD AND SYSTEM FOR EXTRACTING MEDICAL INFORMATION
FOR PRESENTATION TO MEDICAL PROVIDERS ON MOBILE
TERMINALS**

Confirmation No.: 1879

Group Art Unit: 3626

Examiner: Najarian, Lena


DECLARATION PURSUANT TO 37 C.F.R. § 1.131

I, Alan J. Ying, hereby declare and say that:

1. I am one of the named inventors of the subject matter of the above-referenced patent application.
2. Prior to December 13, 2000, the inventors of the above-referenced patent application had conceived of the subject matter of Claims 1-17, 19-21, 23 and 25-34.
3. In support of the above statement of Section 2, I hereby submit as **Appendix A** a copy of a draft patent application that was reviewed and modified by myself and the other inventors on November 30, 2000. This document establishes that the subject matter of the above-referenced claims was conceived on or before December 13, 2000.
4. Due diligence was exercised from prior to December 13, 2000, to the February 2, 2001 filing of the present patent application. During that time period the inventors reviewed the patent application, provided additional comments to patent counsel, reviewed a final draft of the patent application and authorized the filing thereof.
5. Also in support of the above statement of Section 2, I hereby submit as **Appendix B** a copy of a Technical Summary, dated August 12, 2000, that describes the subject matter of Claims 1-17, 19-21, 23 and 25-34. This document establishes that the subject matter of the above-referenced claims was conceived on or before December 13, 2000.
6. I hereby declare that all statements made herein of my own knowledge are true, and that all statements made on information and belief are believed to be true. I further declare that these statements were made with knowledge that willful false statements and the

In re: Ying *et al.*
Serial No.: 09/776,484
Filed: February 2, 2001
Page 2 of 2

like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.



Alan J. Ying

September 16, 2005
Date

APPENDIX A

METHOD AND SYSTEM FOR EXTRACTING MEDICAL INFORMATION FOR PRESENTATION TO MEDICAL PROVIDERS ON MOBILE TERMINALS

BACKGROUND OF THE INVENTION

5 Field of the Invention

The present invention relates to a technique for accessing medical databases and delivering the content thereof to medical providers through a mobile terminal.

Description of the Related Art

Medical providers are notoriously resistant to change in their workplace. As a
10 result, they frequently do not accept new technology simply because it is new and may be better. Medical providers often only accept change when they have to or when it truly does make their job demonstrably easier and/or faster.

Conversely, a common complaint among many medical providers is the lack of access to information needed to treat patients effectively. Medical providers are loath to
15 travel to an inconveniently located desk top terminal or workstation only to spend two or *several minutes* ~~three minutes~~ logging into the system, accessing a database, ~~and then~~ slowly sifting through the medical records that may be contained therein in an attempt to find a bit of desired information, *and then transcribing it or printing it out*

Medical institutions, such as hospitals, may have a paper file with hard copies of
20 the pertinent medical information, but again, this is cumbersome, antiquated, and not always orderly. As more hospitals move to electronic databases, even these outmoded records may be hard to come by. Thus, the two primary vehicles by which medical records may be accessed are inadequate to help medical providers access the medical records where they are needed the most - by the patients' bedsides.

The present invention comprises providing medical providers with medical records in a mobile terminal so that the medical providers may access the medical records without being tied to a desktop workstation. An individual or a company, both herein referred to as a service provider, may be the moving force behind these activities. It is expected that the service provider will be a profit oriented business who also desires to see the quality of care to patients improve by the provision of the medical records to the medical providers.

Initially, the service provider will have to acquire the medical records in a format that is amendable to presentation on the mobile terminals. A flow chart of this initial process is illustrated in Figure 1. The service provider, or a representative of the service provider, may contact the managers of the databases containing the medical records (block 10). It is expected that these managers may be hospitals or companies to whom hospitals have outsourced the medical record maintenance responsibilities. F.g., Cerner and Shared Medical System. **Inventors - do these companies actually manage the database or are they merely the software providers?** THEY CAN COMPLETELY MANAGE THEM OR JUST SELL THE SOFTWARE, DEPENDING ON PREFERENCE OF HOSPITAL

Additionally, it is possible that medical providers who are not associated with a hospital (e.g., a practice group, a partnership, a solo practitioner, or the like) may have medical records amendable to incorporation and use in the present invention. Thus, the service provider may also contact such individuals or groups and the present invention is not restricted to hospitals per se. **Inventors - do you want to include this group?**

YES

used as desired. (inventors - are all these databases going to be HL7 certified? Is the

database you create HL7 compatible?) OUR SYSTEM IS AIMED AT HL7 INSTITUTIONS.

WE USE AN INTERFACE ENGINE TO EXTRACT THE PATIENT INFORMATION

FROM THE HL7 DATA STREAMS & REFORMAT IT IN A STANDARD WAY

5 TO BE INSERTED INTO OUR STAGING DATABASE (ORACLE)).
(also - do you have an exemplary print out of how the data is stored before

transformation and then after transformation?) I WILL OBTAIN THIS FOR YOU
AND EMAIL IT.

Either of the last two cases greatly simplifies the extraction and translation of the data

from the original database to the new database created by the service provider.

The purpose of the extraction and reformatting is to present the data of the

10 medical records in a format that is acceptable for display on a mobile terminal. To

facilitate an explanation of the methodology of the present invention, what follows is a

discussion of the hardware. The term mobile terminal is intended to be a broad ranging

term and includes mobile phones, personal digital assistants (PDA), pagers, and the like.

However, the present application will focus on two such devices, namely personal digital

15 assistants (mobile terminal 50) such as that illustrated in Figure 2 and mobile phones

(mobile terminal 100) such as that illustrated in Figure 4. Mobile terminal 50 may be a

PALM PILOT® or the like and may comprise a display 52 and a plurality of buttons 54

as is conventional. Display 52 may include a data field 56 comprising a patient's name

field 58, a movement icon 60 and a plurality of special icons 62. As is conventional on

20 most personal digital assistants, display 52 may comprise some form of touch screen,

accepting inputs by touching the display 52. Display 52 may further comprise a data

entry field 64 used in conjunction with a stylus (not shown) as is conventional. In one

embodiment, the display 52 comprises a color display with the icons and information

also sold by Ericsson. Other networks are also possible. Mobile terminals 100 may move around within the local system just like they move about in a normal cellular system. Note further that the local wireless system need not be connected to the PLMN 162 if so desired. For example, for security reasons, it may be desirable not to allow
5 access to the PLMN 162 and the PSTN 166.

In addition to making normal phone calls, receiving pages, short message services and the like, the mobile terminals 100 may also selectively access the server 152 and secure therefrom a medical record formatted according to the present invention. It should be appreciated that appropriate encryption technology may be used so as to preserve the
10 privacy of the medical information. The medical record is then displayed on the display 110 of the mobile terminal 100. In particular, mobile terminal 100 communicates via antenna 112 to a nearby radio head 154 and accesses server 152 through the CRI 150. The server obligingly provides the requested information, which in turn is broadcast from the radio head 154 to the mobile terminal 100 for display. Any updates entered by the
15 medical provider are forwarded upon entry by the medical provider to the server 152.

Note that servers 70, 152 may communicate with the computer containing the original, unaltered database of medical records, providing updates thereto as needed or desired. Thus, these computers may be networked through a conventional approach, selectively connected over a modem or the like as needed or desired.

20 **Inventors, if you have a particular architecture for any of the above please provide. I have endeavored to use two architectures that make sense, but they are little more than educated stabs in the dark.**

↘ I WILL SEND
A POWER POINT
PRESENTATION
WITH THIS.

IN GENERAL, IT EMPHASIZES THAT ALL
THIS DATA IS DIRECTLY FROM HOSPITAL DATA
BASES

act to move medical providers between different menus or allow different icons 118 to be displayed in of icon section 116. These icons may be used in place of the need for buttons on the mobile terminal 50 or 100.

- 5 Other possible icons include thermometer icon 202 that shifts the medical provider to an information screen containing information relating to the patient's vital statistics. This may be a free form data entry field to record daily events. Further, it is contemplated that the previous day's text is reproduced automatically for the next day with some indicia (such as an asterisk) that the text is reproduced. Thus, the medical
- 10 provider does not have to re-enter duplicative data every day.

Prescription icon 204 shifts the medical provider to an information screen containing information relating to the current medications that the patient is receiving. It may be linked to software that checks for harmful drug interactions or the like.

- Other labs icon 206 shifts the medical provider to an information screen
- 15 containing information relating to lab tests that may have been run for the patient. This may be presented as a pop up list that lists lab results that can then be viewed by selecting from the list. These lab tests may not be the most common sorts of tests, but are used with sufficient regularity to be included. The text of the pop up list is specifically made large enough so that the medical provider can select from the list with their finger rather
- 20 than having to use a stylus.

Hotlist icon 208 shifts the medical provider to a customizable information screen. Medical providers can indicate which lab tests they desire to see most frequently. This may be related to their specialty area for example. Thus, when this button is tapped, the

medical provider is taken to the tests that provide him with the most information. For example, a cardiologist may want to know the results for three certain tests, whereas an intestinal doctor may want to know the results of a different set of four tests. This icon allows the medical provider to program the mobile terminal 50 or 100 to show these
5 desired test results.

CBC icon 210 shifts the medical provider to an information screen containing information relating to test results from a very common set of tests known as CBC.

Chem7 icon 212 shifts the medical provider to an information screen containing information related to test results from a very common set of tests known as Chem7.

10 Bug icon 214 shifts the medical provider to an information screen containing information related to microbiology cultures. Thus, results from cultures sent on the person are available. E.g., blood infection grew out of E. Coli.

Allergies icon 216 shifts the medical provider to an information screen containing information related to allergies for that particular patient. It may be linked to the
15 information in the prescription screen to check for allergic reactions to proposed medication regimens.

Other data fields include HD - the hospital day, derived from the date of admission on the hospital record; PD - post operative day; DX - diagnosis; OR - operative procedure the patient underwent; and HX - history. It is contemplated that the
20 PD button will cause a calendar to pop up and the medical provider may indicate the day on which an operation occurred. The DX field will allow the entry of free form text so that the medical provider may indicate in their own words the patient's relevant diagnoses. Likewise, the OR field will allow the entry of free form text so that the

medical provider may indicate the nature of the surgery and any other relevant details.

Similarly, the HX field allows the entry of free form text about the history of the patient.

Not all of this information need to be stored in the hospital database with the unaltered medical records. Rather, it may stored simply in the central servers, 70, 152

5 and accessed by the medical providers as needed or desired.

The important thing about the icons is their ability to be seen easily and manipulated easily. They are preferably large enough and ergonomically designed so as to allow actuation without the need for a stylus, but rather may be actuated with a thumb or other finger. They are preferably multicolored and intuitive so that medical providers
10 may at a glance know which icons will take them to what information. The exact placement of the icons on a display is not critical, and may be customized to the medical provider so that the icons most commonly used appear on the main screens in a desired location.

Still other commands/icons may be incorporated into the displays 52, 110. A

15 PRINT command enables the medical provider to use infrared beaming of the patient information to an IrDA compatible printer.

THIS IS AN ERGONOMIC INNOVATION
TO SPEED WORKFLOW.

A "Hotlist/Patient" command allows the medical provider to indicate on the preferred first screen after selecting a patient's name from a list of patients. This may be, for example, the hotlist test results, or a general default screen having HD, PD, and OR
20 information. Other screens are also possible as needed or desired.

A NOTE command is a totally freehand blank screen that allows the medical provider to draw notes, pictures, or the like as needed. This command in particular may be persevered in a particular position on the display 52, 110 in every screen, such as the

lower right hand corner. Notes may be erased with an ERASER button on the scribble screen.

THIS SCREEN IS TO BE PRESERVED IN ITS MOST RECENT STATE FOR EACH PATIENT, I.E. IT WILL REMEMBER ITS CONFIG. EVEN AFTER ACCESSING OTHER SCREENS.

5 A DETAILS command allows the medical provider to secure more details about a particular lab or test result. In particular, it is expected that many lab or test results will be abbreviated with the most commonly desired information presented first. Additional details will be available through the use of this command. THIS WILL BE REFRESHED BY TOUCHING THE RESULTS SET OF INTEREST ON THE SCREEN.

An ADD PATIENT command may be displayed as a "+" sign or the like, and allows the medical provider to enter a patient's medical record number manually, and at the next synchronization, the patient's complete medical record will be loaded into the

10 memory of the mobile terminal 50, 100. In the situation where the mobile terminal is a mobile type device, this command will activate a call to the central server 152 and download the information. This feature allows medical providers to acquire access to the medical records of patients that were erroneously omitted from a synchronization or added to the ward after a synchronization visit.

15 Other features are also possible. For example, as an alternate revenue generator, the service provider could sell advertising on a ^{PRODUCT} "Drug of the Day" icon. This might be located in an unobtrusive portion of the display 110 so as to avoid inadvertent triggering.

Medical providers may peruse this feature in down time, such as when waiting on an elevator, eating a meal, or the like. This may eliminate needless interruptions by sales
20 representatives or the like. Further, in one embodiment of the present invention, when medical providers subscribe to the present service, they would identify their specialty areas and qualifications. This may be done to differentiate between medical students and attending physicians, nurses, and the like. With the identification of the specialty areas,

the advertising may be targeted specifically to the desired audience. For example, cholesterol drugs could be advertised to cardio-thoracic surgeons while VIAGRA™ was advertised to a geriatric specialist.

"PRICE MARKETING" AS
OPPOSED TO "SHOTGUN MARKETING"
- PHARMACEUTICALS,
SPECIALTIES, ETC.

Similarly, as a security measure, if the mobile terminal 50, 100 is not used for an amount of time greater than a predetermined threshold, the medical provider may have to log in to the device. This may done through any well understood user name and password type log in activity. Further, if the mobile terminal 50, 100 is not used for an amount of time greater than a second predetermined threshold, the entire memory of the mobile terminal 50, 100 may be purged of all medical records. This helps insure that access to the confidential medical information is not given to an unauthorized user.

As yet another concern, the Health Insurance Portability Account Act (HIPAA) of 1997 has laid out several federal rules about electronic data transfer as it relates to medical records. Individuals or companies who practice the present invention need to be aware of the contemporaneous interpretation of this statute to comply therewith.

Against this backdrop of hardware and software, the methodology of promoting the service is presented with reference to Figure 7. Initially, the service provider establishes the database with the information formatted in the appropriate manner (block 200). This process was described with reference to Figure 1. The service provider may distribute for free mobile terminals (either personal digital assistants, mobile phones, or other appropriate device) to a select number of medical providers, for example, the first 1,000 medical providers (block 202). At the same time, the service provider could require service contract commitments from the medical providers that have just received a new mobile terminal (block 204). The service contract allows access to the reformatted

MAY BE APPLICABLE HERE OR ELSEWHERE TO
ALLOW FOR USE BY PHYSICIAN EXTENDERS
(I.E. P.A.'S, R.N.'S, CASE MGR'S, MED STUDENTS, ETC.),
OR ANYONE WHO NEEDS ACCESS TO DATA

desired. These additional services may be add-ons to the basic service package, resulting
in additional revenue for the service provider, or packaged together as needed or desired.

Exemplary methods of using the present invention by medical providers are
presented in Figures 8 and 9 as flow charts. These are exemplary and not intended to be
5 limiting, but are provided to illustrate how the present invention may be used by a
medical provider to make his life easier. Figure 8 assumes that the medical provider has
a personal digital assistant type mobile terminal 50. In particular, the medical provider is
assumed to be a physician. The physician initially secures a mobile terminal 50 and a
service contract (block 300). This may be the result of an advertising promotion, word of
10 mouth advertising, or other reason. At some later point, the physician has begun using
the personal digital assistant as a calendar and the like. The physician wakes up (block
302) and as part of his morning ritual, checks his calendar on the mobile terminal 50
(block 304) to see the day's appointments. Note that this calendar software is
conventional on most personal digital assistants and is not incorporated into the software
15 of the present invention. Both applications reside concurrently in memory on the mobile
terminal 50. This may be in the midst of breakfast, between shaving and showering, or
whenever is convenient.

The physician then goes to the hospital (block 306). One of the first things that
the physician does is to dock his mobile terminal 50 at a docking station 76 to download
20 all the needed medical records to the mobile terminal 50 (block 308). Note that the
physician may only get medical records for his patients, the patients on the ward in which
the physician works, or some other subset of all available medical records. This
preserves memory in the mobile terminal 50 if desired. Some physicians may restrict

occur. Medical providers may dock more often than indicated it desired, or less frequently if desired. Further, updates may have to be entered through other means rather than through the mobile terminals 50 and 100. The flow charts are to illustrate exemplary embodiments.

5 [Inventors, I would like to attach the code that you have written for both the reformatting and this application as an appendix to the application to avoid any enablement issues. We can claim copyright in the code, but it will prove that we have the invention in hand.] WHEN DO YOU NEED IT?

WE ARE STILL REVISING

10 The present invention may, of course, be carried out in other specific ways than those herein set forth without departing from the scope and the essential characteristics of the invention. The present embodiments are therefore to be construed in all aspects as illustrative and not restrictive and all changes coming within the meaning and equivalency range of the appended claims are intended to be embraced therein.

WE ARE SPECIFICALLY DESIGNED
TO MIGRATE TO WIRELESS FORMAT
ON A PDA (AS OPPOSED TO CELL PHONE)
USING BLUETOOTH OR 802.11 STANDARDS.
THIS WILL OBVIATE NEED FOR
SYNCHRONIZATION -- DATA WILL
BE AUTOMATICALLY UPDATED TO
PDA AS IT OCCURS

CLAIMS

What is claimed is:

1. A method of presenting medical records for use by a medical provider, comprising:
- extracting pre-existing medical records from a database;
- formatting said medical records for presentation on a mobile terminal; and
- delivering at least one of said formatted medical records to a mobile terminal possessed by a medical provider.
2. The method of claim 1 wherein formatting said medical records for presentation on a mobile terminal comprises providing ergonomic actuators within said medical records to move between different screens containing different information.
3. The method of claim 1 wherein delivering at least one of said formatted medical records to the mobile terminal possessed by the medical provider comprises delivering at least one of said medical records to a wireless telephone. *EL PDA*
WIRELESS EV-DO(2).
4. The method of claim 1 wherein delivering at least one of said formatted medical records to the mobile terminal possessed by the medical provider comprises delivering at least one of said medical records to a personal digital assistant
5. The method of claim 1 wherein extracting pre-existing medical records from a database comprises extracting pre-existing medical records from a hospital database.

TECHNICAL SUMMARY



MercuryMD, Inc.

August 12, 2000

The following information is confidential and contains proprietary information including trade secrets of MercuryMD, Inc. Neither the document nor any of the information contained in the document may be reproduced or disclosed to any person under any circumstances without express written permission of MercuryMD, Inc.

MercuryMD, Inc.
9 Forest Oaks Drive
Durham NC 27705
Tel: 877-747-7630
Fax: 630-604-1416

Principals:

William T. Lawson, MD
Home: 919-383-1767
Cell: 919-812-4459
Email: william.lawson@mercurymd.com

Matthew Cross
Work: 512-707-1394
Cell: 512-294-7256
Email: matt.cross@mercurymd.com

Alan J. Ying, MD
Home: 919-384-1530
Page: 919-970-9077
Email: alan.ying@mercurymd.com

Travis Teague
Work: 512-707-1394
Cell: 512-294-7256
Email: travis.teague@mercurymd.com

TABLE OF CONTENTS

Introduction

Logical Architecture

MInterface

MCentral

MConnect

MData

Physical Architecture

Server

Synchronization Stations

INTRODUCTION

The purpose of this document is to provide a technical overview of MercuryMD's clinical data distribution system. Our product vertically integrates patient care databases to handheld devices of individual medical practitioners (MD, PA, RN, etc) through a user-friendly interface that increases efficiency, reduces errors, and improves patient care.

LOGICAL ARCHITECTURE

MInterface. MercuryMD's data distribution system does not replace existing legacy systems at any individual medical center. Indeed, most institutions have invested in a variety of systems from multiple vendors that serve needs such as ADT, laboratory data retrieval, radiology, dictation storage, and pharmacy. We provide a modular interface, MInterface, that sits aside these individual systems and assimilates information into our central database. MInterface is an ActiveX EXE built in Microsoft Visual Basic 6.0 that runs on our Windows 2000-based server. It is a database-driven service that relies on institution- or system-specific metadata to interpret coded data and insert it into our central database.

Typically, our system is provided user access by the host systems for secure authentication. All transactions between MInterface and external systems are logged in MCentral (see below). MInterface can be configured to function in a variety of modes: it can poll existing systems at regular time intervals, poll existing systems based on the knowledge that new data is available, or it can monitor a message stream and generate events to update our central database as necessary. Configuration of MInterface is performed by MercuryMD's implementation consultants in collaboration with technical personnel and vendors at each institution.

MCentral. Our relational database, MCentral, performs four tasks: 1) Maintain archive of clinical data on active patients; 2) Maintain knowledge of the state of all data on each user's handheld device; 3) Support user collaboration in patient care by supporting multi-user Teams that share patient data; and 4) Support the database-driven aspects of MInterface and MConduit. MCentral is currently implemented in Oracle 8i, however, the tables and views have been designed with portability in mind so that the database can be implemented in any enterprise-capable relational DBMS that is already supported and/or licensed by the institution.

MCentral's entity-relationship diagram is proprietary. However, MIS personnel at our institutional partners have read-only access to MCentral's data and structure subject to terms of our non-disclosure agreement. Such access will allow institutions to eventually integrate billing and diagnosis data collected by caregivers at the point of care. Access to MCentral is limited to that granted to our internal MInterface and MConduit systems and read-only access provided to authorized institutional administrators.

It is important to emphasize that MCentral is not a data repository. Patient data has a limited lifetime within our database, which implies that our database will asymptotically approach a maximum size dictated by the number of hospitalized patients. The lifetime of patient data is typically from 72 hours before the current hospital admission until 72 hours after discharge. For liability reasons, we do not currently replace any institutional data collection or archival systems.

While our user interface supports diagnostic coding and charge capture for inpatient services, this functionality is currently only in evaluation and not for permanent storage or institutional use.

MConduit. Our conduit technology has been licensed from Extended Systems (www.extendedsystems.com) in the form of their XTNDConnect Server software. This software is a robust, scalable handheld device management platform that provides high-level synchronization design for multiple platforms. Additionally, it provides robust user management and security services for both database access and end-user synchronization. MConduit provides concurrent multi-user handheld synchronization services over any access modality (wired cradles, infrared, RF networks) that supports TCP-IP. This flexibility eliminates the requirements for workstation-driven synchronization software and reduces the cost of large-scale distribution.

MConduit and its integration with MCentral provide considerable speed advantages during synchronization. Since MCentral contains knowledge of the information state on each user's device, we only transfer changes between handheld and server during synchronization. So-called "delta synchronization" reduces synchronization time and is more efficient for server and network.

Data encryption during synchronization is not generally required if synchronization occurs within the confines of the institutional Intranet. However, if the institution desires to support Internet-based synchronization allowing users to connect from home using XTNDConnect's Proxy software, XTNDConnect provides 128-bit Certicom encryption for financial-grade data security.

MConduit is essential to our system's overall security model. It provides both device- and user-level authentication during synchronization and allows us to manage users internally or through existing Microsoft Exchange or Lotus Notes directory servers. Most importantly, MCentral controls all database connections with MCentral and eliminates the need for database-level user authentication.

MData. MData is our flagship program that runs on handheld devices running Palm OS 3.0 or greater. It is a C application that provides rapid data retrieval with a unique interface optimized for stylus-free use.

The most striking feature of MData besides its overall look and feel is the inherent support for team-based patient care. Users can aggregate into teams in the MCentral database, and all team members share rounding, diagnosis, allergy, and history information as entered by any individual. During synchronization, any users with the latest version of editable data are allowed to forward their changes to the server for subsequent sharing with other team members. In the event that the server data has changed underneath a user who has also made changes before synchronizing, a conflict resolution system alerts the user and allows him/her to choose between resubmitting the changes during the next synchronization or canceling the changes and accepting the latest data from the server.

MData also contains a number of additional features deemed essential by practicing residents and private practitioners: instant access to all the latest laboratory data, a patient-specific sketch field for freeform notes, automatic carry-forward of the previous day's notes to speed documentation, and an intuitive interface to support diagnosis and charge capture within the workflow of data retrieval and clinical decision making.

MData's Palm databases are automatically updated by the MConduit system during each synchronization. MData's Palm databases are packed in a binary format on the handheld, and unpacking these data requires *a priori* knowledge of our underlying table structure. We also prevent our databases from being copied to users' desktop computers during routine HotSync operations and prevent infrared transfer of our databases between devices.

A unique user login and a user-specified PIN of at least 4 numbers provide security for the MData application. The valid login must be entered at initial startup and must be present at each synchronization. Given user's needs to rapidly navigate between applications on their handheld device, we do not require PIN entry each time MData is launched. Instead, the user is required to enter his/her PIN if it has been at least 60 minutes since the last authentication.

PHYSICAL ARCHITECTURE

Server. The server provided by MercuryMD is a Dell PowerEdge 2400 server with two 600MHz Pentium III processors and a three-drive 18-gigabyte RAID 5 array. The server runs Microsoft Windows 2000 and runs Oracle 8i for the MCentral database, our XTNDConnect MCentral conduit, and the MInterface application. It requires a fixed IP address either through direct network configuration or assignment of a fixed IP from a DHCP server through its NIC identifier. We also provide Norton PCAnywhere 9.2 for remote access and troubleshooting.

The server can either be physically located on the institution's backbone for maximum performance or it can reside in the MercuryMD server farm for access over the Internet. The NIC supports 100 megabit per second Ethernet connectivity.

Synchronization Stations. Synchronization services are currently provided using Clarinet hubs and IRDA transceivers (www.clarinetsys.com) for wireless and cradle-free access. Each Synchronization Station consists of one Clarinet hub and seven IRDA transceivers arranged in a custom-designed box that holds the user's Palm devices during the synchronization process. The box itself takes up one by two feet of desk or table space and can support further storage (paper forms, supplies, etc.) on top of it. The station requires only one 120-volt wall outlet and one Ethernet connection for the hub.

The IRDA hub connects into the network and can either be manually assigned an IP address or automatically assigned an address from a DHCP server. The hub can also assign IP addresses to the IRDA transceivers manually or obtain IP addresses for each transceiver from a DHCP server. Configuration of the hub needs to occur only once, with specifications stored in non-volatile RAM before placement in the appropriate location.